



MATHEMATICS: APPLICATIONS AND CONCEPTS ©2004, COURSE 2
Correlated to
Kansas Mathematics Curriculum Standards
Grade Seven

CONTENT STANDARDS	PAGE REFERENCES
Standard 1: Number and Computation	
The student uses numerical and computational concepts and procedures in a variety of situations.	
Benchmark 1: Number Sense	
The student demonstrates number sense for rational numbers, the irrational number pi, and simple algebraic expressions in one variable in a variety of situations.	
Seventh Grade Knowledge Base Indicators	
The student...	
1. knows, explains, and uses equivalent representations for rational numbers and simple algebraic expressions including integers, fractions, decimals, percents, and ratios; integer bases with whole number exponents; positive rational numbers written in scientific notation with positive integer exponents; time; and money (2.4.K1a-c) \$, e.g., 253,000 is equivalent to 2.53×10^5 or $x + 5x$ is equivalent to $6x$.	SE: 10–11, 43–44, 106–107, 207–208, 210–211, 216–217, 220–221, 288–289, 312–314 TWE: 10–11, 43–44, 106–107, 207–208, 210–211, 216–217, 220–221, 288–289, 312–314
2. compares and orders rational numbers and the irrational number pi (2.4.K1a) \$.	SE: 45, 106–107, 109–111, 120–121, 227–228, 477, 556 TWE: 45, 106–107, 109–111, 120–121, 227–228, 477, 556
3. explains the relative magnitude between rational numbers and between rational numbers and the irrational number pi (2.4.K1a).	The opportunity to address this objective is available. See the following: SE: 45, 106–107, 109–111, 120–121, 227–228 TWE: 45, 106–107, 109–111, 120–121, 227–228
4. knows and explains what happens to the product or quotient when (2.4.K1a):	
a. a whole number is multiplied or divided by a rational number greater than zero and less than one,	SE: 254–255, 264, 560, 562 TWE: 254–255, 264, 560, 562
b. a whole number is multiplied or divided by a rational number greater than one,	SE: 31, 134–135, 138–139, 254–255, 265, 560, 562 TWE: 31, 134–135, 138–139, 254–255, 265, 560, 562

CONTENT STANDARDS	PAGE REFERENCES
c. a rational number (excluding zero) is multiplied or divided by zero.	This objective is covered in Glencoe <i>Pre-Algebra</i> ©2003
5. explains and determines the absolute value of rational numbers (2.4.K1a).	SE: 107 TWE: 107
Seventh Grade Application Indicators	
The student...	
1. generates and/or solves real-world problems using (2.4.A1a) \$:	
a. equivalent representations of rational numbers and simple algebraic expressions, e.g., you are in the mountains. Wilson Mountain has an altitude of 5.28×10^3 feet. Rush Mountain is 4,300 feet tall. How much higher is Wilson Mountain than Rush Mountain?	SE: 12–13, 43–44, 45, 106–107, 108, 208, 209, 210, 212–213, 220–221, 222–223, 288–289, 290–291, 312–314, 315 TWE: 12–13, 43–44, 45, 106–107, 108, 208, 209, 210, 212–213, 220–221, 222–223, 288–289, 290–291, 312–314, 315
b. fraction and decimal approximations of the irrational number pi, e.g., Mary measured the distance around her 48-inch diameter circular table to be 150 inches. Using this information, approximate pi as a fraction and as a decimal.	SE: 213, 275 TWE: 213, 275
2. determines whether or not solutions to real-world problems using rational numbers, the irrational number pi, and simple algebraic expressions are reasonable (2.4.A1a) \$, e.g., a sweater that cost \$15 is marked 1/3 off. The cashier charged \$12. Is this reasonable?	The opportunity to address this objective is available. See the following: SE: 7, 429, 521 TWE: 7, 429, 521
Benchmark 2: Number Systems and Their Properties	
The student demonstrates an understanding of the rational number system and the irrational number pi; recognizes, uses, and describes their properties; and extends these properties to algebraic expressions in one variable.	
Seventh Grade Knowledge Base Indicators	
The student...	
1. knows and explains the relationships between natural (counting) numbers, whole numbers, integers, and rational numbers using mathematical models (2.4.K1a,k), e.g., number lines or Venn diagrams.	SE: 106–107, 120–121, 172–175, 229 TWE: 106–107, 120–121, 172–175, 229
2. classifies a given rational number as a member of various subsets of the rational number system (2.4.K1a,k), e.g., $\sqrt{7}$ is a rational number and an integer.	SE: 229 TWE: 229

CONTENT STANDARDS	PAGE REFERENCES
3. names, uses, and describes these properties with the rational number system and demonstrates their meaning including the use of concrete objects (2.4.K1a) \$:	
a. commutative properties of addition and multiplication (changing the order of the numbers does not change the solution);	SE: 31 TWE: 31
b. associative properties of addition and multiplication (changing the grouping of the numbers does not change the solution);	SE: 31 TWE: 31
c. distributive property [distributing multiplication or division over addition or subtraction, e.g., $2(4 - 1) = 2(4) - 2(1) = 8 - 2 = 6$];	SE: 30 TWE: 30
d. substitution property (one name of a number can be substituted for another name of the same number), e.g., if $a = 2$, then $3a = 3 \times 2 = 6$.	This objective is covered in <i>Glencoe Pre-Algebra</i> ©2003
4. uses and describes these properties with the rational number system and demonstrates their meaning including the use of concrete objects (2.4.K1a) \$:	
a. identity properties for addition and multiplication (additive identity – zero added to any number is equal to that number; multiplicative identity – one multiplied by any number is equal to that number);	SE: 31 TWE: 31
b. symmetric property of equality (if $7 + 2x = 9$ then $9 = 7 + 2x$);	This objective is covered in <i>Glencoe Pre-Algebra</i> ©2003
c. zero property of multiplication (any number multiplied by zero is zero);	This objective is covered in <i>Glencoe Pre-Algebra</i> ©2003
d. addition and multiplication properties of equality (adding/multiplying the same number to each side of an equation results in an equivalent equation);	SE: 157, 259 TWE: 157, 259
e. additive and multiplicative inverse properties. (Every number has a value known as its additive inverse and when the original number is added to that additive inverse, the answer is zero, e.g., $+5 + ^-5 = 0$. Every number except 0 has a value known as its multiplicative inverse and when the original number multiplied by its inverse, the answer will be 1, e.g., $8 \times 1/8 = 1$.)	SE: 121, 258 TWE: 121, 258

CONTENT STANDARDS	PAGE REFERENCES
5. recognizes that the irrational number pi can be represented by approximate rational values, e.g., $\frac{22}{7}$ or 3.14.	SE: 213, 275 TWE: 213, 275
Seventh Grade Application Indicators The student...	
1. generates and/or solves real-world problems with rational numbers and the irrational number pi using the concepts of these properties to explain reasoning (2.4.K1a) \$:	
a. commutative and associative properties of addition and multiplication, e.g., at a delivery stop, Sylvia pulls out a flat of eggs. The flat has 5 columns and 6 rows of eggs. Express how to find the number of eggs in 2 ways.	SE: 32–33 TWE: 32–33
b. distributive property, e.g., trim is used around the outside edges of a bulletin board with dimensions 3 ft by 5 ft. Explain two different methods of solving this problem.	SE: 30–31, 33 TWE: 30–31, 33
c. substitution property, e.g., $V = IR$ [Ohm's Law-voltage (V) = current (I) x resistance (R)] If the current is 5 amps ($I = 5$) and the resistance is 4 ohms ($R = 4$), what is the voltage? Substitute values for I and R. To find the voltage: $V = IR$ $V = 5 \cdot 4$ $V = 20$	This objective is taught in Glencoe <i>Algebra: Concepts and Applications</i> ©2004.
d. additive and multiplicative identities	SE: 32–33 TWE: 32–33
e. symmetric property of equality, e.g., Sam took a \$15 check to the bank and received a \$10 bill and a \$5 bill. A \$15 check is the same amount as a \$10 bill and a \$5 bill.	This objective is covered in Glencoe <i>Pre-Algebra</i> ©2003
f. additive and multiplicative identities	SE: 32–33 TWE: 32–33
g. zero property of multiplication, e.g., Jenny was thinking of two numbers. Jenny said that the product of the two numbers was 0. What could you deduct from this statement? Explain your reasoning?	This objective is covered in Glencoe <i>Pre-Algebra</i> ©2003

CONTENT STANDARDS	PAGE REFERENCES
<p>h. addition and multiplication properties of equality, e.g., the total price (P) of a car including tax (T), is \$14,685.33. If the tax is 785.42, what is the sale price of the car (S)?</p> $P = S + T$ $\$14,685.33 = S + 785.42$ $\$14,685.33 - \$785.42 = S$ $\$13,899.91 = S$	<p>The opportunity to address this objective is available. See the following:</p> <p>SE: 157–159, 259–261</p> <p>TWE: 157–159, 259–261</p>
<p>i. additive and multiplicative inverse properties, e.g., if 5 candy bars cost \$1.00, what does one candy bar cost? Explain your reasoning.</p> $5x = \$1.00, \text{ so}$ $5x/5 = \$1.00/5$ $x = \$.20$	<p>SE: 261</p> <p>TWE: 261</p>
<p>2. analyzes and evaluates the advantages and disadvantages of using integers, whole numbers, fractions (including mixed numbers), decimals, or the irrational number pi and its rational approximations in solving a given real-world problem (2.4.K1a, e.g., in the store everything is 25% off. When calculating the discount, which representation of 25% would you use and why?</p>	<p>The opportunity to address this objective is available. See the following:</p> <p>SE: 106–107, 208–209, 210, 212–213, 216–217, 218–219, 220–221, 288–289, 312–314</p> <p>TWE: 106–107, 208–209, 210, 212–213, 216–217, 218–219, 220–221, 288–289, 312–314</p>
<p>Benchmark 3: Estimation The student uses computational estimation with rational numbers and the irrational number pi in a variety of situations.</p>	
<p>Seventh Grade Knowledge Base Indicators The student...</p>	
<p>1. estimates quantities with combinations of rational numbers and/or the irrational number pi using various computational methods including mental math, paper and pencil, concrete objects, and/or appropriate technology (2.4.K1a) \$.</p>	<p>SE: 240–242, 243, 334–336, 337, 475–476, 477, 558</p> <p>TWE: 240–242, 243, 334–336, 337, 475–476, 477, 558</p>
<p>2. N uses various estimation strategies and explains how they were used to estimate rational number quantities and the irrational number pi (2.4.K1a) \$.</p>	<p>The opportunity to address this objective is available. See the following:</p> <p>SE: 240–242, 243, 334–336, 337, 475–476, 477, 558</p> <p>TWE: 240–242, 243, 334–336, 337, 475–476, 477, 558</p>

CONTENT STANDARDS	PAGE REFERENCES
3. recognizes and explains the difference between an exact and approximate answer (2.4.K1a).	The opportunity to address this objective is available. See the following: SE: 542–543 TWE: 542–543
4. determines the appropriateness of an estimation strategy used and whether the estimate is greater than (overestimate) or less than (underestimate) the exact answer and its potential impact on the result (24.K1a).	The opportunity to address this objective is available. See the following: SE: 240–242, 243, 334–336, 337, 475–476, 477, 558 TWE: 240–242, 243, 334–336, 337, 475–476, 477, 558
5. knows and explains why the fraction (22/7) or decimal (3.14) representation of the irrational number pi is an approximate value (2.4.K1c).	The opportunity to address this objective is available. See the following: SE: 213, 275 TWE: 213, 275
Seventh Grade Application Indicators The student...	
1. adjusts original rational number estimate of a real-world problem based on additional information (a frame of reference) (2.4.A1a) \$, e.g., estimate the weight of a bookshelf of books. Then weigh one book and adjust your estimate.	The opportunity to address this objective is available. See the following: SE: 240–242, 243, 334–336, 337, 475–476, 477, 558 TWE: 240–242, 243, 334–336, 337, 475–476, 477, 558
2. estimates to check whether or not the result of a real-world problem using rational numbers, the irrational number pi, and/or simple algebraic expressions is reasonable and makes predictions based on the information (2.4.A1a), e.g., a goat is staked out in a pasture with a rope that is 7 feet long. The goat needs 200 square feet of grass to graze. Does the goat have enough pasture? If not, how long should the rope be?	The opportunity to address this objective is available. See the following: SE: 7, 429, 521 TWE: 7, 429, 521
3. determines a reasonable range for the estimation of a quantity given a real-world problem and explains the reasonableness of the range (2.4.A1a), e.g., how long will it take your teacher to walk two miles? The range could be 25–35 minutes.	The opportunity to address this objective is available. See the following: SE: 240–242, 243, 334–336, 337, 475–476, 477, 558 TWE: 240–242, 243, 334–336, 337, 475–476, 477, 558

CONTENT STANDARDS	PAGE REFERENCES
<p>4. determines if a real-world problem calls for an exact or approximate answer and performs the appropriate computation using various computational methods including mental math, paper and pencil, concrete objects, and/or appropriate technology (2.4.A1a) \$, e.g., Kathy buys items at the grocery store priced at \$32.56, \$12.83, \$6.99, and 5 for \$12.49 each. She has \$120 with her to pay for the groceries. To decide if she can pay for her items, does she need an exact or an approximate answer?</p>	<p>The opportunity to address this objective is available. See the following:</p> <p>SE: 542–543, 544–545</p> <p>TWE: 542–543, 544–545</p>
<p>Benchmark 4: Computation The student models, performs, and explains computation with rational numbers, the irrational number pi, and first-degree algebraic expressions in one variable in a variety of situations.</p>	
<p>Seventh Grade Knowledge Base Indicators The student...</p>	
<p>1. computes with efficiency and accuracy using various computational methods including mental math, paper and pencil, concrete objects, and appropriate technology (2.4.K1a-c) \$.</p>	<p>This objective is addressed throughout. See, for example:</p> <p>SE: 16–17, 69, 108, 152, 209, 246–247, 315, 359, 415, 479–481, 521</p> <p>TWE: 16–17, 69, 108, 152, 209, 246–247, 315, 359, 415, 479–481, 521</p>
<p>2. performs and explains these computational procedures (2.4.K1a):</p>	
<p>a. N adds and subtracts decimals from ten millions place through hundred thousandths place;</p>	<p>SE: 559</p> <p>TWE: 559</p>
<p>b. N multiplies and divides a four-digit number by a two-digit number using numbers from thousands place through thousandths place;</p>	<p>SE: 140–141, 152, 256–257, 260–261, 266, 560, 562</p> <p>TWE: 140–141, 152, 256–257, 260–261, 266, 560, 562</p>
<p>c. N multiplies and divides using numbers from thousands place through thousandths place by 10; 100; 1,000; .1; .01; .001; or single-digit multiples of each, e.g., $54.2 \div .002$ or 54.3×300;</p>	<p>SE: 561</p> <p>TWE: 561</p>
<p>d. N adds, subtracts, multiplies, and divides fractions and expresses answers in simplest form;</p>	<p>SE: 244–245, 246–247, 254–255, 256–257, 264–265, 266</p> <p>TWE: 244–245, 246–247, 254–255, 256–257, 264–265, 266</p>

CONTENT STANDARDS	PAGE REFERENCES
e. N adds, subtracts, multiplies, and divides integers;	SE: 120–122, 123–124, 128–129, 130–131, 134–135, 136–137, 138–139, 140–141 TWE: 120–122, 123–124, 128–129, 130–131, 134–135, 136–137, 138–139, 140–141
f. N uses order of operations (evaluates within grouping symbols, evaluates powers to the second or third power, multiplies or divides in order from left to right, then adds or subtracts in order from left to right) using whole numbers;	SE: 15 TWE: 15
g. simplifies positive rational numbers raised to positive whole number powers;	SE: 10–11, 12–13 TWE: 10–11, 12–13
h. combines like terms of a first degree algebraic expression.	This objective is covered in Glencoe <i>Pre-Algebra</i> ©2003
3. recognizes, describes, and uses different ways to express computational procedures, e.g., $5 - 2 = 5 + (-2)$ or $49 \times 23 = (40 \times 23) + (9 \times 23)$ or $49 \times 23 = (49 \times 20) + (49 \times 3)$ or $49 \times 23 = (50 \times 23) - 23$.	SE: 30–31, 32–33 TWE: 30–31, 32–33
4. finds prime factors, greatest common factor, multiples, and the least common multiple (2.4.K1d).	SE: 196, 198, 199–200, 203–204, 205–206, 224–225, 226 TWE: 196, 198, 199–200, 203–204, 205–206, 224–225, 226
5. finds percentages of rational numbers (2.4.K1a,c) \$, e.g., $12.5\% \times \$40.25 = n$ or 150% of 90 is what number? (For the purpose of assessment, percents will not be between 0 and 1.)	SE: 319–320, 321, 323–324, 325 TWE: 319–320, 321, 323–324, 325
Seventh Grade Application Indicators The student...	
1. generates and/or solves one- and two-step real-world problems using these computational procedures and mathematical concepts (2.4.A1a) \$:	
a. addition, subtraction, multiplication, and division of rational numbers with a special emphasis on fractions and expressing answers in simplest form, e.g., at the candy store, you buy $\frac{3}{4}$ of a pound of peppermints and $\frac{1}{2}$ of a pound of licorice. The cost per pound for each kind of candy is \$3.00. What is the total cost of the candy purchased?	SE: 245, 246–247, 254, 256–257, 265, 266 TWE: 245, 246–247, 254, 256–257, 265, 266

CONTENT STANDARDS	PAGE REFERENCES
<p>b. addition, subtraction, multiplication, and division of rational numbers with a special emphasis on integers, e.g., the high temperatures for the week were: -4°, 10°, -1°, 0°, 7°, 3°, and -5°. What is the mean temperature for the week?</p>	<p>SE: 120, 122, 123–124, 129, 130–131, 136–137, 139, 140–141</p> <p>TWE: 120, 122, 123–124, 129, 130–131, 136–137, 139, 140–141</p>
<p>c. first degree algebraic expressions in one variable, e.g., Jenny rents 3 videos plus \$20 of other merchandise. Barb rents 5 videos plus \$15 of other merchandise. Represent the total purchases of Jenny and Barb using V as the price of a video rental.</p>	<p>SE: 19–21, 30, 33, 139–140, 150–151, 152</p> <p>TWE: 19–21, 30, 33, 139–140, 150–151, 152</p>
<p>d. percentages of rational numbers, e.g., if the sales tax is 5.5%, what is the sales tax on an item that costs \$36?</p>	<p>SE: 319–320, 321</p> <p>TWE: 319–320, 321</p>
<p>e. approximation of the irrational number pi, e.g., what is the approximate diameter of a 400-meter circular track?</p>	<p>SE: 275–276, 277</p> <p>TWE: 275–276, 277</p>
<p>Standard 2: Algebra The student uses algebraic concepts and procedures in a variety of situations.</p>	
<p>Benchmark 1: Patterns The student recognizes, describes, extends, develops, and explains the general rule of a pattern in a variety of situations.</p>	
<p>Seventh Grade Knowledge Base Indicators The student...</p>	
<p>1. identifies, states, and continues a pattern presented in various formats including numeric (list or table), algebraic (symbolic notation), visual (picture, table, or graph), verbal (oral description), kinesthetic (action), and written using these attributes:</p>	
<p>a. counting numbers including perfect squares, cubes, and factors and multiples (number theory) (2.4.K1a);</p>	<p>SE: 34–35, 36</p> <p>TWE: 34–35, 36</p>
<p>b. positive rational numbers including arithmetic and geometric sequences (arithmetic: sequence of numbers in which the difference of two consecutive numbers is the same, geometric: a sequence of numbers in which each succeeding term is obtained by multiplying the preceding term by the same number) (2.4.K1a), e.g., 2, $\frac{1}{2}$, 3, $\frac{1}{3}$, 4, $\frac{1}{4}$, ...;</p>	<p>SE: 34–35, 36</p> <p>TWE: 34–35, 36</p>
<p>c. geometric figures (2.4.K1f);</p>	<p>SE: 34, 36</p> <p>TWE: 34, 36</p>

CONTENT STANDARDS	PAGE REFERENCES																											
d. measurements (2.4.K1a);	The opportunity to address this objective is available. See the following: SE: 34–35, 36 TWE: 34–35, 36																											
e. things related to daily life (2.4.K1a) \$, e.g., tide, moon cycle, or temperature.	The opportunity to address this objective is available. See the following: SE: 34–35, 36 TWE: 34–35, 36																											
2. generates a pattern (2.4.K1a).	The opportunity to address this objective is available. See the following: SE: 34–35, 36 TWE: 34–35, 36																											
3. extends a pattern when given a rule of one or two simultaneous changes (addition, subtraction, multiplication, division) between consecutive terms (2.4.K1a), e.g., find the next three numbers in a pattern that starts with 3, where you double and add 1 to get the next number; the next three numbers are 7, 15, and 31.	SE: 35, 36 TWE: 35, 36																											
4. states the rule to find the n^{th} term of a pattern with one operational change (addition or subtraction) between consecutive terms (2.4.K1a), e.g., given 3, 5, 7, and 9; the n^{th} term is $2n + 1$. (This is the explicit rule for the pattern.)	SE: 36 TWE: 36																											
Seventh Grade Application Indicators The student...																												
1. generalizes a pattern by giving the n^{th} term using symbolic notation (2.4.A1a,f), e.g., given the following, the n^{th} term is $2n$. <table data-bbox="235 1512 625 1785"> <thead> <tr> <th></th> <th>X</th> <th>Y</th> </tr> </thead> <tbody> <tr> <td>1 person has 2 eyes</td> <td>1</td> <td>2</td> </tr> <tr> <td>2 people have 4 eyes</td> <td>2</td> <td>4</td> </tr> <tr> <td>3 people have 6 eyes</td> <td>3</td> <td>6</td> </tr> <tr> <td>2 people have 8 eyes</td> <td>4</td> <td>8</td> </tr> <tr> <td>.</td> <td>.</td> <td>.</td> </tr> <tr> <td>.</td> <td>.</td> <td>.</td> </tr> <tr> <td>.</td> <td>.</td> <td>.</td> </tr> <tr> <td>2 people have $2n$ eyes</td> <td>n</td> <td>$2n$</td> </tr> </tbody> </table>		X	Y	1 person has 2 eyes	1	2	2 people have 4 eyes	2	4	3 people have 6 eyes	3	6	2 people have 8 eyes	4	8	2 people have $2n$ eyes	n	$2n$	The opportunity to address this objective is available. See the following: SE: 34–35, 36 TWE: 34–35, 36
	X	Y																										
1 person has 2 eyes	1	2																										
2 people have 4 eyes	2	4																										
3 people have 6 eyes	3	6																										
2 people have 8 eyes	4	8																										
.	.	.																										
.	.	.																										
.	.	.																										
2 people have $2n$ eyes	n	$2n$																										

CONTENT STANDARDS	PAGE REFERENCES
2. recognizes the same general pattern presented in different representations [numeric (list or table), visual (picture, table, or graph), and written] (2.4.A1a,f,j-k) \$.	The opportunity to address this objective is available. See the following: SE: 34–35, 36 TWE: 34–35, 36
Benchmark 2: Variable, Equations, and Inequalities The student uses variables, symbols, rational numbers, and simple algebraic expressions in one variable to solve linear equations and inequalities in a variety of situations.	
Seventh Grade Knowledge Base Indicators The student...	
1. knows and explains that a variable can represent a single quantity that changes (2.4.K1a), e.g., daily temperature.	SE: 18, 25 TWE: 18, 25
2. knows, explains, and uses equivalent representations for the same simple algebraic expressions (2.4.K1a), e.g., $x + y + 5x$ is the same as $6x + y$.	SE: 30–31, 32–33 TWE: 30–31, 32–33
3. shows and explains how changes in one variable affects other variables (2.4.A1a), e.g., changes in diameter affects circumference.	The opportunity to address this objective is available. See the following: SE: 18, 25 TWE: 18, 25
4. explains the difference between an equation and an expression.	SE: 18–19, 24–25 TWE: 18–19, 24–25
5. solves (2.4.K1a,e) \$:	
a. one-step linear equations in one variable with positive rational coefficients and solutions, e.g., $7x - 28$ or $x + \frac{3}{4} =$ or $\frac{x}{3} = 5$;	SE: 24–27, 154–155, 156–159, 160–163, 258–261 TWE: 24–27, 154–155, 156–159, 160–163, 258–261
b. two-step linear equations in one variable with counting number coefficients and constants and positive rational solutions;	SE: 166–169 TWE: 166–169
c. one-step linear inequalities with counting numbers and one variable, e.g., $3x > 12$.	SE: 24–27, 154–155, 156–159, 160–163, 258–261 TWE: 24–27, 154–155, 156–159, 160–163, 258–261

CONTENT STANDARDS	PAGE REFERENCES
6. explains and uses the equality and inequality symbols ($=$, \neq , $<$, \leq , $>$, \geq) and corresponding meanings (is equal to, is not equal to, is less than, is less than or equal to, is greater than, is greater than or equal to) to represent mathematical relationships with rational numbers (2.4.K1a) \$.	SE: 24, 45, 109–111, 227–229, 556 TWE: 24, 45, 109–111, 227–229, 556
7. knows the mathematical relationship between ratios, proportions, and percents and how to solve for a missing term in a proportion with positive rational number solutions and monomials (2.4.K1a,c) \$, e.g., $5/6 = 2/x$.	SE: 216, 218, 288–289, 297–298, 324–325 TWE: 216, 218, 288–289, 297–298, 324–325
8. evaluates simple algebraic expressions using positive rational numbers (2.4.K1c) \$, e.g., if $x = 3/2$, $y = 2$, then $5xy + 2 = 5(3/2)(2) + 2 = 17$.	SE: 18–21, 123, 129–130, 135–136, 139–140 TWE: 18–21, 123, 129–130, 135–136, 139–140
Seventh Grade Application Indicators The student...	
1. represents real-world problems using variables and symbols to write linear expressions, one- or two-step equations (2.4.A1e) \$, e.g., John has three times as much money as his sister. If M is the amount of money his sister has, what is the equality that represents the amount of money that John has? To represent the problem situation, $J = 3M$ could be written.	SE: 20–21, 23, 136, 139–141, 150, 151, 152, 153, 158, 159, 161, 167, 168–169 TWE: 20–21, 23, 136, 139–141, 150, 151, 152, 153, 158, 159, 161, 167, 168–169
2. solves real-world problems with one- or two-step linear equations in one variable with whole number coefficients and constants and positive rational solutions intuitively and analytically (2.4.A1e) \$, e.g., Kim has read 5 more than twice the number of pages as Hank. Kim has read 15 pages. How many pages has Hank read? To solve analytically, write $2h + 5 = 15$. Then find the answer.	SE: 152, 158, 159, 161, 162–163, 167, 168–169 TWE: 152, 158, 159, 161, 162–163, 167, 168–169
3. generates real-world problems that represent one- or two-step linear equations (2.4.A1e) \$, e.g., given the equation $x + 10 = 30$, the problem could be: Two items cost \$30.00. If one item costs \$10.00, what is the cost of the other item?	SE: 152, 158, 159, 161, 162–163, 167, 168–169 TWE: 152, 158, 159, 161, 162–163, 167, 168–169

CONTENT STANDARDS	PAGE REFERENCES
<p>4. explains the mathematical reasoning that was used to solve a real-world problem using a one- or two-step linear equation (2.4.A1e) \$, e.g., Kim has read 5 more than twice the number of pages as Hank. Kim has read 15 pages. How many pages has Hank read? To solve, write $2h + 5 = 15$. Then to find the answer subtract 5 from both sides of the equation. $2h = 10$, then divide both sides of the equation by 2, so $h = 5$.</p>	<p>The opportunity to address this objective is available. See the following:</p> <p>SE: 152, 158, 159, 161, 162–163, 167, 168–169</p> <p>TWE: 152, 158, 159, 161, 162–163, 167, 168–169</p>
<p>Benchmark 3: Functions The student recognizes, describes, and analyzes constant and linear relationships in a variety of situations.</p>	
<p>Seventh Grade Knowledge Base Indicators The student...</p>	
<p>1. recognizes constant and linear relationships using various methods including mental math, paper and pencil, concrete objects, and graphing utilities or appropriate technology (2.4.K1a,e-g) \$.</p>	<p>The opportunity to address this objective is available in Glencoe <i>Pre-Algebra</i> ©2003</p>
<p>2. finds the values and determines the rule through two operations using a function table (input/output machine, T-table) (2.4.K1f).</p>	<p>SE: 177–181, 182</p> <p>TWE: 177–181, 182</p>
<p>3. demonstrates mathematical relationships using ordered pairs in all four quadrants of a coordinate plane (2.4.K1g).</p>	<p>SE: 112–113, 114–115</p> <p>TWE: 112–113, 114–115</p>
<p>4. describes and/or gives examples of mathematical relationships that remain constant (2.4.K1e-g) \$, e.g., you will get \$10.00 to do a job, no matter how long it takes for you to do it.</p>	<p>The opportunity to address this objective is available in Glencoe <i>Pre-Algebra</i> ©2003</p>

CONTENT STANDARDS	PAGE REFERENCES																
Seventh Grade Application Indicators																	
The student...																	
<p>1. represents a variety of constant and linear relationships using written or oral descriptions of the rule, tables, graphs, and when possible, symbolic notation (2.4.A13-g,k) \$, e.g., the relationship between cars and their wheels (written) becomes a table:</p> <table border="1" data-bbox="332 506 625 762"> <thead> <tr> <th>Cars</th> <th>Wheels</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>4 → (1,4)</td> </tr> <tr> <td>2</td> <td>8 → (2,8)</td> </tr> <tr> <td>10</td> <td>40 → (10,40)</td> </tr> <tr> <td>.</td> <td>.</td> </tr> <tr> <td>.</td> <td>.</td> </tr> <tr> <td>.</td> <td>.</td> </tr> <tr> <td>n</td> <td>4n</td> </tr> </tbody> </table> <p>and then the ordered pairs of (1,4), (2,8), (10,40), and (n,4n) can be graphed.</p>	Cars	Wheels	1	4 → (1,4)	2	8 → (2,8)	10	40 → (10,40)	n	4n	<p>The opportunity to address this objective is available in Glencoe <i>Pre-Algebra</i> ©2003</p>
Cars	Wheels																
1	4 → (1,4)																
2	8 → (2,8)																
10	40 → (10,40)																
.	.																
.	.																
.	.																
n	4n																
<p>2. interprets, describes, and analyzes the mathematical relationships of numerical, tabular, and graphical representations (2.4.A1k) \$.</p>	<p>This objective is covered in Glencoe <i>Pre-Algebra</i> ©2003</p>																
Benchmark 4: Models																	
The student generates and uses mathematical models to represent and justify mathematical relationships found in a variety of situations.																	
Seventh Grade Knowledge Base Indicators																	
The student...																	
1. knows, explains, and uses mathematical models to represent and explain mathematical concepts, procedures, and relationships. Mathematical models include:																	
<p>a. process models (concrete objects, pictures, diagrams, number lines, hundred charts, measurement tools, multiplication arrays, division sets, or coordinate grids) to model computational procedures, algebraic relationships, and mathematical relationships and to solve equations (1.1.K1–5, 1.2.K1–4, 1.3.K1–4, 1.4.K1–2, 1.4.K5, 2.1.K1a-b, 2.1.K1e, 2.1.K2–4, 2.2.K1–3, 2.2.K5–6, 2.3.K1, 3.1.K9, 3.2.K1–3, 3.2.K9, 3.3.K1–4, 3.4.K1, 4.2.K4–6) \$;</p>	<p>This objective is addressed throughout. See, for example:</p> <p>SE: 18, 69, 128, 160, 197, 224, 264, 304, 374, 428, 451, 493</p> <p>TWE: 18, 69, 128, 160, 197, 224, 264, 304, 374, 428, 451, 493</p>																
<p>b. place value models (place value mats, hundred charts, base ten blocks, or unifix cubes) to compare, order, and represent numerical quantities and to model computational procedures (1.1.K1, 1.4.K2) \$;</p>	<p>This objective is covered in Glencoe <i>Mathematics: Applications and Concepts</i>, Course 1 ©2004</p>																

CONTENT STANDARDS	PAGE REFERENCES
c. fraction and mixed number models (fraction strips or pattern blocks and decimal and money models (base ten blocks or coins to compare, order, and represent numerical quantities (1.1.K1, 1.3.K5, 1,4,K2, 2.2.K7–8, 4.1.K3) \$);	SE: 207, 210, 217, 241, 244–245, 249, 254–255, 264 TWE: 207, 210, 217, 241, 244–245, 249, 254–255, 264
d. factor trees to find least common multiple and greatest common factor and to model prime factorization (1.4.K4);	SE: 198–199 TWE: 198–199
e. equations and inequalities to model numerical relationships (2.2.K5, 2.3.K1, 2.3.K4) \$;	SE: 150–151, 154–155, 156–158, 160, 166, 258 TWE: 150–151, 154–155, 156–158, 160, 166, 258
f. function tables to model numerical and algebraic relationships (2.3.K1–2, 2.3.K4) \$;	SE: 177–179, 180–181 TWE: 177–179, 180–181
g. coordinate planes to model relationships between ordered pairs and linear equations (2.3.K1, 2.3.K3–4, 3.4.K2–4) \$;	SE: 112–113, 114–115 TWE: 112–113, 114–115
h. two- and three-dimensional geometric models (geoboards, dot paper, nets or solids) to model perimeter, area, volume, and surface area, and properties of two- and three-dimensional (2.1.K1c, 3.1.K1, 3.1.K3–8, 3.1.K10, 3.2.K1–2, 3.2.K4–8, 3.2.K10);	SE: 483, 488, 489, 493, 520, 524, 530–531, 532, 538 TWE: 483, 488, 489, 493, 520, 524, 530–531, 532, 538
i. geometric models (spinners, targets, or number cubes), process models (coins, pictures, or diagrams), and tree diagrams to model probability (4.1.K1, 4.1.K4) \$;	SE: 370, 374–375, 376–377, 379, 393, 397, 398–399, 401, 501–502 TWE: 370, 371, 374–375, 376–377, 379, 393, 397, 398–399, 401, 501–502
j. frequency tables, bar graphs, line graphs, circle graphs, Venn diagrams, charts, tables, single stem-and-leaf plots, scatter plots, and box-and-whisker plots to organize and display data (4.2.K1) \$;	SE: 60–61, 64–65, 76–77, 80–81, 85–86 TWE: 60–61, 64–65, 76–77, 80–81, 85–86
k. Venn diagrams to sort data and show relationships (1.2.K1–2).	The opportunity to address this objective is available. See the following: SE: 203 TWE: 203

CONTENT STANDARDS	PAGE REFERENCES
Seventh Grade Application Indicators	
The student...	
1. recognizes that various mathematical models can be used to represent the same problem situation. Mathematical models include:	
a. process models (concrete objects, pictures, diagrams, flowcharts, number lines, hundred charts, measurement tools, multiplication arrays, division sets, or coordinate grids) to model computational procedures, algebraic relationships, mathematical relationships, and problem situations and to solve equations (1.1.A1, 1.2.A1–2, 1.3.A1–4, 1.4.A1, 2.1.A1–2, 3.1.A1, 3.2.A1a, 3.2.A1d, 3.2.A1f, 3.2.A2, 3.3.A1, 4.2.A4) \$;	This objective is addressed throughout. See, for example: SE: 18, 69, 128, 160, 197, 224, 264, 304, 374, 428, 451, 493 TWE: 18, 69, 128, 160, 197, 224, 264, 304, 374, 428, 451, 493
b. place value models (place value mats, hundred charts, base ten blocks, or unifix cubes) to model problem situations (1.1.A1a, 1.1.A2a, 1.2.A12, 1.3A1.2, 1.4.A3a-e, 2.2.A3) \$;	This objective is covered in Glencoe <i>Mathematics: Applications and Concepts</i> , Course 1 ©2004
c. fraction and mixed number models (fraction strips or pattern blocks) and decimal and money models (base ten blocks or coins) to compare, order, and represent numerical quantities (1.1.A1b, 1.1.A2b, 1.2.A1–2, 1.3.A1–2) \$;	SE: 207, 210, 216–217, 241, 244–245, 249, 254–255, 264 TWE: 207, 210, 216–217, 241, 244–245, 249, 254–255, 264
d. factor trees to find least common multiple and greatest common factor and to model prime factorization (1.4.K5)	The opportunity to address this objective is available. See the following: SE: 198–199 TWE: 198–199
e. equations and inequalities to model numerical relationships (2.2.A1–4, 2.3.A1, 3.2.A1e). \$	SE: 150–151, 154–155, 156–158, 160, 166, 258 TWE: 150–151, 154–155, 156–158, 160, 166, 258
f. function tables to model numerical and algebraic relationships (2.1.A1–2, 2.3.A1) \$;	SE: 177–179, 180–181 TWE: 177–179, 180–181
g. coordinate planes to model relationships between ordered pairs and linear equations (2.3.A1, 3.4.A1) \$;	SE: 112–113, 114–115 TWE: 112–113, 114–115

CONTENT STANDARDS	PAGE REFERENCES
h. two- and three-dimensional geometric models (geoboards, dot paper, nets or solids) to model perimeter, area, volume, and surface area, and properties of two- and three-dimensional models (3.1.A2–3, 3.2.A1b-c, 3.2.A1e, 3.3.A2, 3.4.A1);	SE: 483, 488, 489, 493, 520, 524, 530–531, 532, 538 TWE: 483, 488, 489, 493, 520, 524, 530–531, 532, 538
i. scale drawings to model large and small real-world objects (3.3.A3);	SE: 304, 306, 309 TWE: 304, 306, 309
j. geometric models (spinners, targets, or number cubes), process models (coins, pictures, or diagrams), and tree diagrams to model probability (4.1.A1) \$;	SE: 370, 374–375, 376–377, 379, 393, 397, 398–399, 401, 501–502 TWE: 370, 371, 374–375, 376–377, 379, 393, 397, 398–399, 401, 501–502
k. frequency tables, bar graphs, line graphs, circle graphs, Venn diagrams, charts, tables, single stem-and-leaf plots, scatter plots, and box-and-whisker plots to describe, interpret, and analyze data (2.1.A2, 2.3.A1–2, 4.1.A1–2, 4.2.A1–3) \$;	SE: 60–61, 64–65, 76–77, 80–81, 85–86 TWE: 60–61, 64–65, 76–77, 80–81, 85–86
l. Venn diagrams to sort data and show relationships.	The opportunity to address this objective is available. See the following: SE: 203 TWE: 203
2. selects a mathematical model and justifies why some mathematical models are more accurate than other mathematical models in certain situations, e.g., recognizes that change over time is better represented through a line graph than through a table of ordered pairs.	The opportunity to address this objective is available throughout. See, for example: SE: 18, 60, 128, 197, 224, 258, 316, 374, 428, 451, 493 TWE: 18, 60, 128, 197, 224, 258, 316, 374, 428, 451, 493
3. uses the mathematical modeling process to make inferences about real-world situations when the mathematical model used to represent the situation is given. (For the purpose of assessment, the focus will be on function tables, coordinate planes, and Venn diagrams.)	The opportunity to address this objective is available throughout. See, for example: SE: 18, 60, 128, 197, 224, 258, 316, 374, 428, 451, 493 TWE: 18, 60, 128, 197, 224, 258, 316, 374, 428, 451, 493

CONTENT STANDARDS	PAGE REFERENCES
Standard 3: Geometry	
The student uses geometric concepts and procedures in a variety of situations.	
Benchmark 1: Geometric Figures and Their Properties	
The student recognizes geometric figures and compares their properties in a variety of situations.	
Seventh Grade Knowledge Base Indicators	
The student...	
1. recognizes and compares properties of two- and three-dimensional figures using concrete objects, constructions, drawings, appropriate terminology, and appropriate technology (2.4.K1h).	SE: 428–431, 432–433, 434–437, 440–443, 446–449, 451–461, 498–500, 512–513, 514–517, 518–519, 520–521, 522, 524–527, 530–531, 532–535, 536–537, 538–541 TWE: 428–431, 432–433, 434–437, 440–443, 446–449, 451–461, 498–500, 512–513, 514–517, 518–519, 520–521, 522, 524–527, 530–531, 532–535, 536–537, 538–541
2. classifies regular and irregular polygons having through ten sides as convex or concave.	The opportunity to address this objective is available in Glencoe <i>Pre-Algebra</i> ©2004
3. identifies angle and side properties of triangles and quadrilaterals(2.4.K1h):	
a. sum of the interior angles of any triangle is 180°;	SE: 428 TWE: 428
b. sum of the interior angles of any quadrilateral is 360°;	
i. parallelograms have opposite sides that are parallel and congruent;	SE: 434 TWE: 434
ii. rectangles have angles of 90°, opposite sides are congruent;	SE: 434 TWE: 434
iii. rhombi have all sides the same length, opposite angles are congruent;	SE: 434 TWE: 434
iv. squares have angles of 90°, all sides congruent;	SE: 434 TWE: 434
v. trapezoids have one pair of opposite sides parallel and the other pair of opposites sides are not parallel.	SE: 434 TWE: 434

CONTENT STANDARDS	PAGE REFERENCES
4. identifies and describes (2.4.K1h):	
a. the altitude and base of a rectangular prism and triangular prism,	SE: 520–521, 531, 532–533 TWE: 520–521, 531, 532–533
b. the radius and diameter of a cylinder.	SE: 275 TWE: 275
5. identifies corresponding parts of similar and congruent triangles and quadrilaterals (2.4.K1h).	SE: 429, 434, 440–441 TWE: 429, 434, 440–441
6. uses symbols for right angle within a figure (\square), parallel (\parallel), perpendicular (\perp), and triangle (\triangle) to describe geometric figures(2.4.K1h).	SE: 413–415, 429, 479–481 TWE: 413–415, 429, 479–481
7. classifies triangles as (2.4.K1h):	
a. scalene, isosceles, or equilateral;	SE: 429 TWE: 429
b. right, acute, obtuse, or equiangular.	SE: 429 TWE: 429
8. determines if a triangle can be constructed given sides of three different lengths (2.4.K1h).	The opportunity to address this objective is available. See the following: SE: 429, 440–441, 479 TWE: 429, 440–441, 479
9. generates a pattern for the sum of angles for 3-, 4-, 5-, ... n-sides polygons (2.4.K1a).	SE: 447–448, 449–450 TWE: 447–448, 449–450
10. describes the relationship between the diameter and the circumference of a circle (2.4.K1h).	SE: 274, 275–276, 277 TWE: 274, 275–276, 277
Seventh Grade Application Indicators	
The student...	
1. solves real-world problems by applying the properties of (2.4.A1a):	
a. plane figures (regular and irregular polygons through 10 sides, circles, and semicircles) and the line(s) of symmetry; e.g., two guide wires are used to stabilize a tower. The wires with the ground form an isosceles triangle with the two base angles form 20 degree angles with the ground. What is the size of the vertex angle made where the wires meet on the tower?	The opportunity to address this objective is available. See the following: SE: 456–457, 458–459 TWE: 456–457, 458–459

CONTENT STANDARDS	PAGE REFERENCES
b. solids (cubes, rectangular prisms, cylinders, cones, spheres, triangular prisms) emphasizing faces, edges, vertices, and bases; e.g., ex. Lace is to be glued on all of the edges of a cube. If one edge measures 34 cm, how much lace is needed? 408 cm	SE: 513, 521, 522, 523, 525, 526, 527, 533, 534, 535, 539, 540, 541 TWE: 513, 521, 522, 523, 525, 526, 527, 533, 534, 535, 539, 540, 541
2. decomposes geometric figures made from (2.4.A1h):	
a. regular and irregular polygons through 10 sides, circles, and semicircles;	SE: 498–499, 500 TWE: 498–499, 500
b. nets (two-dimensional shapes that can be folded into three-dimensional figures), e.g., the cardboard net that becomes a shoebox;	SE: 438, 530–531 TWE: 438, 530–531
c. prisms, pyramids, cylinders, cones, spheres, and hemispheres.	SE: 520–521, 522, 524–525, 526–527, 531, 532–533, 534–535, 538–539, 540–541 TWE: 520–521, 522, 524–525, 526–527, 531, 532–533, 534–535, 538–539, 540–541
3. composes geometric figures made from (2.4.A1h):	
a. regular and irregular polygons through 10 sides, circles, and semicircles;	The opportunity to address this objective is available. See the following: SE: 498–499, 500 TWE: 498–499, 500
b. nets (two-dimensional shapes that can be folded into three-dimensional figures);	SE: 530–531, 533, 438 TWE: 530–531, 533, 438
c. prisms, pyramids, cylinders, cones, spheres, and hemispheres.	SE: 520, 524, 527, 530, 532, 538, 540 TWE: 520, 524, 527, 530, 532, 538, 540

CONTENT STANDARDS	PAGE REFERENCES
Benchmark 2: Measurement and Estimation	
The student estimates, measures, and uses measurement formulas in a variety of situations.	
Seventh Grade Knowledge Base Indicators	
The student...	
1. determines and uses rational number approximations (estimations) for length, width, weight, volume, temperature, time, perimeter, and area using standard and nonstandard units of measure (2.4.K1a) \$.	The opportunity to address this objective is available. See the following: SE: 38, 267–268, 270–271, 483–484, 489–490, 493, 494, 498–499, 501–502, 520–521, 524–525 TWE: 38, 267–268, 270–271, 483–484, 489–490, 493, 494, 498–499, 501–502, 520–521, 524–525
2. selects and uses measurement tools, units of measure, and level of precision appropriate for a given situation to find accurate rational number representations for length, weight, volume, temperature, time, perimeter, area, and angle measurements (2.4.K1a) \$.	SE: 38–39, 267–269, 542–543 TWE: 38–39, 267–269, 542–543
3. converts within the customary system and within the metric system (2.4.K1a).	SE: 38–39, 267–269 TWE: 38–39, 267–269
4. recognizes and states perimeter and area formulas for circles, squares, rectangles, triangles, and parallelograms (2.4.K1h).	SE: 271, 483–484, 489–490, 493 TWE: 271, 483–484, 489–490, 493
5. knows and uses perimeter and area formulas for circles, squares, rectangles, triangles, and parallelograms (2.4.K1h).	SE: 271, 272–273, 483–484, 485, 489–490, 491–492, 493, 494–495 TWE: 271, 272–273, 483–484, 485, 489–490, 491–492, 493, 494–495
6. finds perimeter and area of two-dimensional composite figures of circles, squares, rectangles, and triangles (2.4.K1h).	SE: 498–499, 500 TWE: 498–499, 500
7. uses given measurement formulas to find (2.4.K1h):	
a. surface area of cubes,	SE: 532–533, 534–535 TWE: 532–533, 534–535
b. volume of rectangular prisms.	SE: 520–521, 522 TWE: 520–521, 522
8. finds surface area of rectangular prisms using concrete objects (2.4.K1h).	SE: 532–533, 534–535 TWE: 532–533, 534–535

CONTENT STANDARDS	PAGE REFERENCES
9. uses appropriate units to describe rate as a unit of measure (2.4.K1a), e.g., miles per hour.	SE: 161 TWE: 161
10. finds missing angle measurements in triangles and quadrilaterals (2.4.K1h).	SE: 429, 430–431 TWE: 429, 430–431
Seventh Grade Application Indicators The student...	
1. solves real-world problems by \$:	
a. converting within the customary and metric systems (2.4.A1a), e.g., James added 30 grams of sand to his model boat that weighed 2 kg before it sank. With the sand included, what is the total weight of his boat?	SE: 40, 267–269 TWE: 40, 267–269
b. finding perimeter and area of circles, squares, rectangles, triangles, and parallelograms (2.4.A1h), e.g., what is the total length of molding needed to repair the wall if the floor length is 22 feet and the height of the room is 12 feet?	SE: 270–271, 273, 485, 490, 491–492, 494–495 TWE: 270–271, 273, 485, 490, 491–492, 494–495
c. finding perimeter and area of two-dimensional composite figures of circles, squares, rectangles, and triangles (2.4.A1h), e.g., the front of a barn is rectangular in shape with a height of 10 feet and a width of 48 feet. Above the rectangle is a triangle that is 7 feet high with sides 25 feet long. What is the area of the front of the barn?	SE: 500 TWE: 500
d. using appropriate units to describe rate as a unit of measure (2.4.A1a), e.g., a person traveled 20 miles in 10 minutes. What is the rate of travel? The answer could be 2 miles per minute or 120 miles per hour.	SE: 161 TWE: 161
e. finding missing angle measurements in triangles and quadrilaterals (2.4.A1h), e.g., a fenced pasture is a quadrilateral with angles of 30°, 120°, and 90° degrees. What is the measure of the fourth angle?	SE: 430–431 TWE: 430–431

CONTENT STANDARDS	PAGE REFERENCES
<p>f. applying various measurement techniques (selecting and using measurement tools, units of measure, and level of precision) to find accurate rational number representations for length, weight, volume, temperature, time, perimeter, and area appropriate to a given situation (2.4.A1a).</p>	<p>The opportunity to address this objective is available. See the following:</p> <p>SE: 270–271, 273, 276, 277, 441, 442–443, 479–480, 485, 490, 495, 498, 500, 520–521, 523, 524–525, 526, 533, 539, 542–543</p> <p>TWE: 270–271, 273, 276, 277, 441, 442–443, 479–480, 485, 490, 495, 498, 500, 520–521, 523, 524–525, 526, 533, 539, 542–543</p>
<p>2. estimates to check whether or not measurements or calculations for length, width, weight, volume, temperature, time, perimeter, and area in real-world problems are reasonable and adjusts original measurement or estimation based on additional information (a frame of reference) (2.4.A1a) \$, e.g., students estimate the weight of their book in grams. Then the weight of their calculator is measured in grams. Students then adjust their estimate.</p>	<p>This objective is covered in Glencoe <i>Mathematics: Applications and Concepts</i>, Course 1 ©2004</p>
<p>Benchmark 3: Transformational Geometry The student recognizes and performs transformations on two- and three-dimensional geometric figures in a variety of situations.</p>	
<p>Seventh Grade Knowledge Base Indicators The student...</p>	
<p>1. identifies, describes, and performs single and multiple transformations [reflection, rotation, translation, reduction (contraction/shrinking), enlargement (magnification/growing)] on a two-dimensional figure (2.4.K1a).</p>	<p>SE: 451–452, 453–454, 456–457, 458–459, 460–461</p> <p>TWE: 451–452, 453–454, 456–457, 458–459, 460–461</p>
<p>2. identifies three-dimensional figures from various perspectives (top, bottom, sides, corners) (2.4.K1a).</p>	<p>SE: 514–515, 516–517</p> <p>TWE: 514–515, 516–517</p>
<p>3. draws three-dimensional figures from various perspectives (top, bottom, sides, corners) (2.4.K1a).</p>	<p>SE: 514–515, 516</p> <p>TWE: 514–515, 516</p>
<p>4. generates a tessellation (2.4.K1a).</p>	<p>SE: 448, 450, 451</p> <p>TWE: 448, 450, 451</p>

CONTENT STANDARDS	PAGE REFERENCES
Seventh Grade Application Indicators The student...	
1. describes the impact of transformations [reflection, rotation, translation, reduction (contraction/shrinking), enlargement (magnification/growing)] on the perimeter and area of squares and rectangles (2.4.A1a); e.g., when the length of the sides of a square are doubled, the perimeter doubles, and the area is 4 times bigger; however, when the square is rotated, the perimeter and area stays the same.	The opportunity to address this objective is available. See the following: SE: 451–452, 453–454, 456–457, 458–459, 460–461 TWE: 451–452, 453–454, 456–457, 458–459, 460–461
2. investigates congruency and similarity of geometric figures using transformations (2.4.A1h).	SE: 422, 429, 451–452, 453–454, 456–457, 458–459, 460–461 TWE: 422, 429, 451–452, 453–454, 456–457, 458–459, 460–461
3. determines the actual dimensions and/or measurements of a two-dimensional figure represented in a scale drawing (2.4A1i).	SE: 304–306, 307–308 TWE: 304–306, 307–308
Benchmark 4: Geometry From An Algebraic Perspective The student relates geometric concepts to a number line and a coordinate plane in a variety of situations.	
Seventh Grade Knowledge Base Indicators The student...	
1. finds the distance between the points on a number line by computing the absolute value of their difference (2.4.K1a).	SE: 107 TWE: 107
2. uses all four quadrants of a coordinate plane to (2.4.K1g):	
a. identify in which quadrant or on which axis a point lies when given the coordinates of a point,	SE: 112–113, 114–115 TWE: 112–113, 114–115
b. plot points,	SE: 112–113, 114–115 TWE: 112–113, 114–115
c. identify points,	SE: 112–113, 114–115 TWE: 112–113, 114–115
d. list through five ordered pairs of a given line.	SE: 178–179, 181 TWE: 178–179, 181

CONTENT STANDARDS	PAGE REFERENCES
3. uses a given linear equation with whole number coefficients and constants and a whole number solution to find the ordered pairs, organize the ordered pairs using a T-table, and plot the ordered pairs on the coordinate plane (2.4.K1e-g).	SE: 177–179, 180–181 TWE: 177–179, 180–181
4. examines characteristics of two-dimensional figures on a coordinate plane using various methods including mental math, paper and pencil, concrete objects, and graphing utilities or other appropriate technology (2.4.A1g)	SE: 451–452, 453–454, 457, 458–459, 460–461 TWE: 451–452, 453–454, 457, 458–459, 460–461
Seventh Grade Application Indicators The student...	
1. represents and/or generates real-world problems using a coordinate plane to find (2.4.A1g-h):	
a. perimeter of squares and rectangles; e.g., determine the distance Jack traveled if he started at the school (1, 2), traveled to the post office (3 1/2, 2), then went by the fire station (3 1/2, 3), then visited the park (1, 3), and finally returned to the school.	The opportunity to address this objective is available. See the following: SE: 112, 115 TWE: 112, 115
b. circumference (perimeter) of circles, e.g., determine the area that the sprinkler can water if the sprinkler head is centered at (3, 4) and we know it reaches point (3, -2) on the coordinate plane	This objective is taught in Glencoe <i>Geometry</i> ©2004
c. area of circles, parallelograms, triangles, squares, and rectangles	The opportunity to address this objective is available. See the following: SE: 483, 489 TWE: 483, 489
Standard 4: Data The student uses concepts and procedures of data analysis in a variety of situations.	
Benchmark 1: Probability The student applies the concepts of probability to draw conclusions, generate convincing arguments, and make predictions and decisions including the use of concrete objects in a variety of situations.	
Seventh Grade Knowledge Base Indicators The student...	
1. finds the probability of a compound event composed of two independent events in an experiment or simulation (2.4.K1i) \$.	SE: 398–399, 400–401 TWE: 398–399, 400–401
2. explains and gives examples of simple or compound events in an experiment or simulation having probability of zero or one.	SE: 398 TWE: 398

CONTENT STANDARDS	PAGE REFERENCES
3. uses a fraction, decimal, and percent to represent the probability of (2.4.K1c):	
a. a simple event in an experiment or simulation;	SE: 370–371, 372–373, 374–375, 376–377, 379–380, 393–394, 395–396, 501–502, 503–504 TWE: 370–371, 372–373, 374–375, 376–377, 379–380, 393–394, 395–396, 501–502, 503–504
b. a compound event composed of two independent events in an experiment or simulation.	SE: 398–399, 400–401 TWE: 398–399, 400–401
4. finds the probability of a simple event in an experiment or simulation using geometric models (2.4.K1i)	SE: 501–502, 503 TWE: 501–502, 503
Seventh Grade Application Indicators The student...	
1. conducts an experiment or simulation with a compound event composed of two independent events including the use of concrete objects; records the results in a chart, table, or graph; and uses the results to draw conclusions and make predictions about future events (2.4.A1j-k).	SE: 393, 397 TWE: 393, 397
2. analyzes the results of an experiment or simulation of a compound event composed of two independent events to draw conclusions, generate convincing arguments, and make predictions and decisions in a variety of real-world situations (2.4.A1j-k), e.g., whether to take your umbrella to school tomorrow if there is a 70% chance of rain.	The opportunity to address this objective is available. See the following: SE: 370–371, 372–373, 393–394, 395–396, 397 TWE: 370–371, 372–373, 393–394, 395–396, 397
3. compares expected results (theoretical probability) with experimental results (empirical probability) in an experiment or situation with a compound event composed of two simple independent events and understands that the larger the sample size, the greater the likelihood that the experimental results will equal the theoretical probability(2.4.A1j).	SE: 393–394, 395–396 TWE: 393–394, 395–396
4. makes predictions based on the theoretical probability of a simple event in an experiment or simulation (2.4.A1j).	SE: 394–395 TWE: 394–395

CONTENT STANDARDS	PAGE REFERENCES
Benchmark 2: Statistics	
The student collects, organizes, displays, and explains numerical (rational numbers) and non-numerical data sets in a variety of situations with a special emphasis on measures of central tendency.	
Seventh Grade Knowledge Base Indicators	
The student...	
1. organizes, displays, and reads quantitative (numerical) and qualitative (non-numerical) data in a clear, organized, and accurate manner including a title, labels, categories, and rational number intervals using these data displays (2.4.K1j) \$:	
a. frequency tables;	SE: 54–55, 56–57 TWE: 54–55, 56–57
b. bar, line, and circle graphs;	SE: 60–63, 85–86, 418–419, 420–421 TWE: 60–63, 85–86, 418–419, 420–421
c. Venn diagrams or other pictorial displays;	SE: 203 TWE: 203
d. charts and tables;	This objective is taught in Glencoe <i>Pre-Algebra</i> ©2003
e. stem-and-leaf plots (single);	SE: 76–77, 78–79 TWE: 76–77, 78–79
f. scatter plots;	SE: 61, 62–63 TWE: 61, 62–63
g. box-and-whiskers plots.	SE: 80–81, 82–83 TWE: 80–81, 82–83
2. selects and justifies the choice of data collection techniques (observations, surveys, or interviews) and sampling techniques (random sampling, samples of convenience, or purposeful sampling) in a given situation.	SE: 344 TWE: 344
3. conducts experiments with sampling and describes the results.	SE: 301, 344, 374 TWE: 301, 344, 374
4. determines the measures of central tendency (mode, median, mean) for a rational number data set (2.4.K1a) \$.	SE: 69–71, 72 TWE: 69–71, 72

CONTENT STANDARDS	PAGE REFERENCES
5. identifies and determines the range and the quartiles of a rational number data set (2.4.K1a) \$.	SE: 65, 66–67, 80–81, 82–83 TWE: 65, 66–67, 80–81, 82–83
6. identifies potential outliers within a set of data by inspection rather than formal calculation (2.4.K1a) \$, e.g., consider the data set of 1, 100, 101, 120, 140, and 170; the outlier is 1.	SE: 65, 66–67, 71, 82, 83 TWE: 65, 66–67, 71, 82, 83
Seventh Grade Application Indicators The student...	
1. uses data analysis (mean, median, mode, range) of a rational number data set to make reasonable inferences and predictions, to analyze decisions, and to develop convincing arguments from these data displays (2.4.A1k) \$:	
a. frequency tables;	SE: 54–55, 56–57 TWE: 54–55, 56–57
b. bar, line, and circle graphs;	SE: 60–63, 85–86 TWE: 60–63, 85–86
c. Venn diagrams or other pictorial displays;	The opportunity to address this objective is available. See the following: SE: 208 TWE: 208
d. charts and tables;	The opportunity to address this objective is available in Glencoe <i>Pre-Algebra</i> ©2003
e. stem-and-leaf plots (single);	SE: 76–77, 78–79 TWE: 76–77, 78–79
f. scatter plots;	SE: 61, 62–63 TWE: 61, 62–63
g. box-and-whiskers plots.	SE: 81, 82–83 TWE: 81, 82–83
2. explains advantages and disadvantages of various data displays for a given data set (2.4.A1k) \$	The opportunity to address this objective is available. See the following: SE: 54–55, 56–57, 60–63, 76–77, 78–79, 80–81, 82–83, 85–86, 418–419, 420–421 TWE: 54–55, 56–57, 60–63, 76–77, 78–79, 80–81, 82–83, 85–86, 418–419, 420–421

CONTENT STANDARDS	PAGE REFERENCES
3. ▲ recognizes and explains (2.4.A1k):	
a. misleading representations of data;	SE: 92–93, 94–95 TWE: 92–93, 94–95
b. the effects of scale or interval changes on graphs of data sets.	SE: 92–93, 94–95 TWE: 92–93, 94–95
4. determines and explains the advantages and disadvantages of using each measure of central tendency and the range to describe a data set (2.4.A1a) §.	SE: 93, 94–95 TWE: 93, 94–95